



T H O R N B U R Y T O W N S H I P
D E L A W A R E C O U N T Y
S e w e r A d v i s o r y C o m m i t t e e
6 Township Drive
Cheyney, PA 19319-1020
www.thornbury.org

Ted Jacquet, Chairman
Scott Raimondo, Vice-Chairman

George Morley
Jack Howley
Jim O'Brien

MINUTES
Thornbury Township Sewer Advisory Committee Meeting
Thursday, April 26, 2018

The Thornbury Township Sewer Advisory Committee held a public meeting on Thursday, April 26, 2018, at the Township Administration Building, 6 Township Drive, Cheyney, Pennsylvania. Chairman Jacquet called the meeting to order.

PRESENT: Ted Jacquet, Chairman
Scott Raimondo, Vice-Chairman
George Morley
Jim O'Brien
Jack Howley

ABSENT: 0

MEMBERS OF PUBLIC: 0

Chairman Jacquet reviewed the Agenda, as follows:

AGENDA

1. **SALUTE TO THE FLAG**
2. **PUBLIC COMMENT**
3. **OLD BUSINESS**
 - a. Brinton Lake Colony
4. **NEW BUSINESS**
 - a. 414 Glen Mills Rd.
 - b. Summer Newsletter Article
 - c. Township Manager's Report
5. **NEXT MEETING – Thurs., May 24, 2018 (optional)**
6. **ADJOURNMENT**

1. **SALUTE TO THE FLAG:** Mr. Jacquet led the salute to the flag.

2. **PUBLIC COMMENT:** There were no comments from the public.

3. **OLD BUSINESS:**

- a. **Brinton Lake Colony:** Mr. Jacquet handed out updated (2/1/18) sewer maps which include properties that tied-in in 2017. Mr. O'Brien suggested running a line down Natalie. Mr. Jacquet stated that before we contact residents we need to know if EDUs were available. About 200 townhouses are going up along Route 202 which Concord has to supply. The members felt that the Sewer Advisory Committee should not

MINUTES – SEWER ADVISORY COMMITTEE MEETING

APRIL 26, 2018

PAGE 2

canvass Brinton Lake until we know that EDUs are available Mr. O'Brien noted that Mr. Phillips is interested in public sewers and that a septic system failed on Natalie. Mr. Jacquet will bring up these issues again with the Board next week. Mr. O'Brien asked if the Township could buy 5 EDUs and just sit on them. Mr. Morley stated that Concord wanted each EDU assigned to a property, but now that the sewer authority is gone we don't know what their policy is. The members discussed including Timber Lane and downtown Thornton. The members reviewed the updated pricing sheet on the E-1 pump that Mr. Raimondo passed out. The members also briefly discussed pricing on a septic system vs. public sewer.

4. NEW BUSINESS:

a. 414 Glen Mills Rd: Mr. Jacquet stated that the owners desired to connect to the sewer system, but would need their neighbor to share in the expense of running the sewer line down the street. Their neighbor was not interested. Mr. Jacquet noted that if the neighbor agreed to share the expense, 2 EDUs would have been needed, However, this will not move forward, as the owners decided to install an in ground system.

b. Summer Newsletter Article: Mr. Raimondo did not have any new information to put in the newsletter. Mr. Jacquet suggested and the members agreed to skip an issue.

c. Township Manager's Report: Mr. Jacquet briefly highlighted the report.

5. NEXT MEETING: Thursday, May 24, 2018 at 7:00 p.m. (Optional):

6. ADJOURNMENT: On a motion by Mr. Morley and seconded by Mr. Raimondo, the meeting was adjourned at 7:35 p.m.

Respectfully submitted,

Deborah Zitarelli,
Sewer Advisory Committee Secretary

cc: Sewer Committee Members
Board of Supervisors
Jeffrey Seagraves, Twp. Manager
Suzanne Howat, Bookkeeper

Chuck Faulkner, Twp. Sewer Engineer
Ken Kynett, Esq., Twp. Solicitor
Geoff Carbutt, Subdivision Coordinator